

A new species of the genus *Cima* (Gastropoda, Cimidae) from Senegal

Emilio ROLÁN

Cánovas del Castillo 22, 36202 Vigo, Spain

emiliorolan@inicia.es

KEY WORDS. Gastropoda, Cimidae, *Cima apicisbelli* n.sp., Senegal

ABSTRACT. *Cima apicisbelli* n.sp. is described from Dakar, Senegal and separated from any other species of *Cima* by its sculptured apex and by the numerous and evident undulating axial ribs.

INTRODUCTION

In the West African region, Senegal is one of the main areas from which new species have been described. This began with Adanson (1757), and later, many authors published works on Senegal material: von Maltzan (1884), Dautzenberg (1891, 1910, 1912), Fischer-Piette (1942), Nicklès (1947, 1950), Adam & Knudsen (1955, 1969), Knudsen (1956a, 1956b), Marche-Marchad (1969) are only a sample of papers referring to material from Senegal. More recently, Pin & Laug Tack (1995), Pin & Boyer (1995) studied material from this area. Also, in some revisions of certain groups, material from this area was included, which was provided from the dredgings made by M. Pin and J. Pelorce. Here we must mention Fernandes, Rolán & Otero-Schmitt (1996), Peñas & Rolán (1997, 1998, 1999a, 1999b) among others.

This rocky area separated from extensive sandy coasts is like an oceanic island, having a high percentage of endemic species. So, it is to be expected that many species are yet waiting to be discovered and described.

During recent years, Jacques Pelorce, from Le Grau du Roi, France, collected sediments from Dakar, and these sediments, mainly of small size, were studied recently, and yielded minute new species, one of which is described in the present work. Other species are under study and will be the object of future papers.

SYSTEMATICS

Family CIMIDAE Warén, 1994
Genus *Cima* Chaster, 1898

Cima apicisbelli spec. nov.
Figs 1-4

Type material. Holotype (Fig. 1) 0.93 mm in height, in Museo Nacional de Ciencias Naturales of Madrid (15.05/46466).

Paratypes: Muséum national d'Histoire naturelle, Paris (1), American Museum of Natural History,

New York (1), The Natural History Museum, London (1) and the author's collection (3) (Figs. 2, 3).

Type locality. Dakar, Senegal.

Description. Shell (Figs 1-2) very small, subcylindrical, very fragile, pupoid, strongly reticulated, the last whorl larger than half of the height. Protoconch (Fig. 3) is difficult to define in number of whorls because it is poorly delimited from the teleoconch; diameter of the nucleus of the protoconch is about 60 µm. Immediately, a sculpture formed by axial ribs appears, numbering about 21 on the first whorl; these ribs are crossed by about 11 spiral cords, smaller than the ribs and visible only in the intervals. Teleoconch of about four convex whorls increasing slowly, and with incised suture. The axial ribs are more numerous in the subsequent whorls, being about 44 in the second one, and more than 70 on the last whorl. These undulating ribs are of size similar to the intervals, and on the last whorl are crossed by spiral cords of similar size, numbering about 25, with about 10 more into the umbilicus which is narrow and curved. Aperture ovoid, columella curved, external lip sharp.

Soft parts unknown.

Dimensions: the holotype is 0.93 mm in height. The paratypes are of similar size, some of them a little more juvenile.

Distribution. Dakar, Senegal.

Remarks. The generic assignation of the species is based on the similarity of the shell with the European *Cima cylindrica* (Jeffreys, 1856), which have a similar form and sculpture, but this sculpture is less prominent, the protoconch being almost smooth at the beginning.

C. apicisbelli spec. nov. can be differentiated from other species of the genus by its sculptured apex, and by the very numerous and evident undulating axial ribs.

Etymology. The specific name is composed of the word "apex, -icis" and the adjective "bellus" (good,

nice, excellent), meaning so "of nice apex", alluding to the aspect of the protoconch.

ACKNOWLEDGEMENTS

The author thanks J. Pelorce for the sediments collected by him in Senegal and provided for study. To Jesús Méndez of the CACTI, University of Vigo, for the SEM photographs. This work has been partially supported by a grant of the XUNTA DE GALICIA PGIDTOOPXI30121PR.

REFERENCES

- Adam, W. & Knudsen, J. 1955. Notes sur quelques espèces de Mollusques nouveaux ou peu connus de l'Afrique occidentale. *Bulletin Institut royal des Sciences naturelles de Belgique*, 31(61): 1-25, 2 pls.
- Adam, W. & Knudsen, J. 1969. Quelques genres de Mollusques Prosobranches marins inconnus ou peu connus de l'Afrique occidentale. *Bulletin Institut royal des Sciences naturelles de Belgique*, 44(27): 1-69.
- Adanson, M. 1757. Histoire des coquillages, in *Histoire naturelle du Sénégal*. Paris, 96 +275 pp, 18 pls.
- Dautzenberg, Ph. 1891. Voyage de la Goélette *Melita* aux Canaries et au Sénégal, 1889-1890. Mollusques testacés. *Mémoires de la Société Zoologique de France* 4: 16-65, pl. 3.
- Dautzenberg, Ph. 1910. Contribution à la faune malacologique de l'Afrique Occidentale. *Actes de la Société Linnéenne de Bordeaux* 64: 47-221, pls. 1-4.
- Dautzenberg, Ph. 1912. Mission Gruvel sur la Côte Occidentale d'Afrique (1909-1910). Mollusques marins. *Annales de l'Institut Océanographique de Monaco* 5(3): 1-111, pls. 1-3.
- Fernandes, F., Rolán, E. & Otero-Schmitt, J. 1996. the genus *Crassispira* (Gastropoda, Turridae) in West Africa. *Journal of Conchology*, 35(4): 283-301.
- Fischer-Piette, E. 1942. Les Mollusques d'Adanson. *Journal de Conchyliologie*, 85: 103-374, 16 pls.
- Knudsen, J. 1952. Marine prosobranchs of tropical West Africa collected by the *Alantide* Expedition, 1945-46. *Videnskabelige Meddelelser fra Dansk naturhistorisk Forening i København*, 114: 129-185, pls. 1-3.
- Knudsen, J. 1956. Remarks on a collection of marine prosobranchs from Scnegal. *Bulletin de l'Institut Français d'Afrique Noire*, ser. A, 18: 514-529, pls. 1-2.
- Knudsen, J. 1956. Marine prosobranchs of tropical West Africa (Stenoglossa). *Atlantide report*, 4: 7-110, 4 pls.
- Maltzan, H. F. von. 1884. Diagnosen neuer Senegambischen Gastropoden. *Jahr. D. Malak. Gesell.*, 16(5): 65-73.
- Marche-Marchad, I. 1969. Les Architectonicidae (Gastropodes Prosobranches) de la côte occidentale d'Afrique. *Bull. IFAN*, 30 (1A): 481-488.
- Nicklès, M. 1947. La collection des Mollusques marins testacés de l'IFAN. *Publ. IFAN, Catalogue* 1: 113-118.
- Nicklès, M. 1950. *Mollusques testacés marins de la côte occidentale d'Afrique*. Lechevalier. Paris. 270 pág.
- Peñas, A. & Rolán, E., 1997. La familia Pyramidellidae Gray, 1840 (Mollusca, Gastropoda, Heterostropha) en África Occidental. 2. Los géneros *Turbonilla* y *Eulimella*. *Iberus*, suplemento 3: 1-105.
- Peñas, A. & Rolán, E., 1998. La familia Pyramidellidae Gray, 1840 (Mollusca, Gastropoda, Heterostropha) en África Occidental. 3. El género *Chrysallida* s.l. *Iberus*, suplemento 4: 1-73.
- Peñas, A. & Rolán, E., 1999a. La familia Pyramidellidae Gray, 1840 (Mollusca, Gastropoda, Heterostropha) en África Occidental. 4. Los géneros *Megastomia*, *Odostomia*, *Ondina*, *Noemiamaea* y *Syrnola*. *Iberus*, suplemento 5: 1-150.
- Peñas, A. & Rolán, E. 1999b. La familia Pyramidellidae Gray, 1840 (Mollusca, Gastropoda, Heterostropha) en África Occidental. 6. El género *Pseudoscilla* Boettger, 1901. *Iberus*, 17(2): 11-22.
- Pin, M. & Boyer, F. 1995. Three new species of marginellas from the Dakar region (Senegal). *La Conchiglia*, 27(275): 55-61.
- Pin, M. & Laug Tack, K. D. 1995. The Cones of Senegal. *La Conchiglia*, year book, 1995: 3-56.

1-4. *Cima apicisbelli* spec. nov.

1. Holotype (MNCN). 2. Paratype (CER). 3. Detail of the protoconch and first whorls, paratype (CER). 4. Detail of the last whorls, holotype (MNCN).

